



#9 Drawing Changes
10/8/02

Patent
Attorney's Docket No. 017750-546

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
Randall J. Muravez) Group Art Unit: 3662
Application No.: 09/955,151) Examiner: B. Gregory
Filed: September 19, 2001) Confirmation No.: 8307
For: SYSTEM AND METHOD FOR)
PERIODICALLY ADAPTIVE)
GUIDANCE AND CONTROL)

RECEIVED
OCT 04 2002
GROUP 3600

REQUEST FOR APPROVAL OF DRAWING CHANGES

Assistant Commissioner for Patents
Washington, D.C. 20231


Sir:

The Examiner's approval is respectfully requested for the proposed changes to Figure 5 shown in red ink on the accompanying copy, wherein a negative sign has been placed before the term C₄.

Upon approval of this Request, the changes will be implemented by the submission of corrected drawings.

Respectfully submitted,


BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By: 
Stephen W. Palan
Registration No. 43,420

*approved
BET*

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Date: October 3, 2002



Figure

5

imposed
ger